



Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 20, 2019

Revision: March 20, 2019

1 Identification

- Product identifier
- Trade name: JIP-125 Thinner-Reactivator
- · Other means of identification: No other identifiers
- "Recommended use and restriction on use
- Recommended use: Additive
- **Restrictions on use:** No relevant information available.
- Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Jacquard Ink & Pad, Inc. 15218 Josh Wilson Road Burlington, WA 98223 855-4INKPAD / +1 360-474-3602 office@jacquardinkandpad.com
- Emergency telephone number: Chemtrec - Contract# 711233 800-424-9300 / +1 703-741-5500

2 Hazard(s) identification

[•] Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Eye Irrit. 2B H320 Causes eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Label elements

GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms:



- Signal word: Danger • Hazard statements:
- Hazaro statements.
- H225 Highly flammable liquid and vapor. H320 Causes eye irritation.
- H336 May cause drowsiness or dizziness.
- · Precautionary statements:
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing mist, vapors, or spray.
- P264 Wash thoroughly after handling.

(Cont'd. on page 2)



Acc. to OSHA HCS (29 CFR 1910.1200)

Revision: March 20, 2019

Printing date: March 20, 2019

Trade name: JIP-125 Thinner-Reactivator

(Cont'd. of page 1) P271 Use only outdoors or in a well-ventilated area. P280 Wear eye protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a poison center/doctor if you feel unwell. P337+P313 If eve irritation persists: Get medical advice/attention. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P403+P235 Store in a well-ventilated place. Keep cool. Store locked up. P405 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

• Chemical characterization: Mixtures

Components:

Componenter		
107-98-2 1-methoxy-2-propanol	 Flam. Liq. 3, H226 STOT SE 3, H336 	40-60%
64-17-5 Ethanol	 Flam. Liq. 2, H225 Eye Irrit. 2A, H319 	30-<50%
Additional information:	10	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures Description of first aid measures · After inhalation: Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. After skin contact: Clean with water and soap. If skin irritation is experienced, consult a doctor. After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Coughing, dizziness, if inhaled. Breathing difficulty (Cont'd. on page 3)



Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 20, 2019

Revision: March 20, 2019

Trade name: JIP-125 Thinner-Reactivator

(Cont'd. of page 2)

Causes eye irritation. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion.

· Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray.
- For safety reasons unsuitable extinguishing agents: None. Special hazards arising from the substance or mixture
- Highly flammable liquid and vapor.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Wear fully protective suit.

Additional information: Eliminate all ignition sources if safe to do so. Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Use personal protective equipment as required.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Keep away from ignition sources.

Protect from heat.

- Environmental precautions Avoid release to the environment.
- Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling

- Precautions for safe handling:
- Avoid splashes or spray in enclosed areas.
- Use only outdoors or in a well-ventilated area.
- Keep out of reach of children.

(Cont'd. on page 4)



Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 20, 2019

Revision: March 20, 2019

Trade name: JIP-125 Thinner-Reactivator

(Cont'd. of page 3)

Avoid breathing mist, vapors, or spray. Information about protection against explosions and fires: Highly flammable liquid and vapor. Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.
- Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

• Control parameters

Componenteur	ith limit values that require monitoring at the workplace:
•	hoxy-2-propanol
REL (USA)	Short-term value: 540 mg/m ³ , 150 ppm
	Long-term value: 360 mg/m ³ , 100 ppm
TLV (USA)	Short-term value: 369 mg/m³, 100 ppm
	Long-term value: 184 mg/m ³ , 50 ppm
EL (Canada)	Short-term value: 100 ppm Long-term value: 50 ppm
EV (Canada)	Short-term value: 550 mg/m³, 150 ppm Long-term value: 365 mg/m³, 100 ppm
LMPE (Mexico)	Short-term value: 150 ppm Long-term value: 100 ppm
64-17-5 Ethano	
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m³, 1,000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm A3
Keep away from Wash hands be Avoid breathing Avoid close or lo Avoid contact wi	tive and hygienic measures: n foodstuffs, beverages and feed. fore breaks and at the end of work. mist, vapors, or spray. ong term contact with the skin.



Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 20, 2019

Revision: March 20, 2019

Trade name: JIP-125 Thinner-Reactivator

(Cont'd. of page 4)

Breathing equipment: Not required under normal conditions of use. For large spills, respiratory protection may be advisable. Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded. Protection of hands: Gloves are advised for repeated or prolonged contact. Wear protective gloves to handle contents of damaged or leaking units. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Eye protection: Safety glasses Follow relevant national guidelines concerning the use of protective eyewear. Body protection: Protective work clothing Protection may be required for spills. Limitation and supervision of exposure into the environment No relevant information available. Risk management measures No relevant information available.

Information on basic physical and chemical properties		
Form:	Liquid	
Color:	Clear	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	>35 °C (>95 °F)	
Flash point:	20 °C (68 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	



Printing date: March 20, 2019

Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Page: 6/10

Revision: March 20, 2019

Trade name: JIP-125 Thinner-Reactivator

0 Stability and reactivity		
Other information	No relevant information available.	
Kinematic:	Not determined.	
Dynamic:	Not determined.	
Viscosity		
Partition coefficient (n-octanol	l/water): Not determined.	
Water:	Soluble.	
Solubility in / Miscibility with		
Evaporation rate:	Not determined.	
Vapor density:	Not determined.	
Relative density:	Not determined.	
Density:		

 Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions
- Highly flammable liquid and vapor.
- Reacts violently with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Toxic fumes may be released if heated above the decomposition point.

- Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers, strong bases, strong acids
- Hazardous decomposition products
- Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information	
 Information on toxicological effects Acute toxicity: Based on available data, the classification criteria are not met. LD/LC50 values that are relevant for classification: None. Primary irritant effect: On the skin: Based on available data, the classification criteria are not met. On the eye: Causes eye irritation. Sensitization: No sensitizing effects known. 	
· Carcinogenic categories	
IARC (International Agency for Research on Cancer):	
64-17-5 Ethanol	1
NTP (National Toxicology Program):	d,
	(Cont'd. on page 7)



(Cont'd. of page 6)



Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 20, 2019

Revision: March 20, 2019

Trade name: JIP-125 Thinner-Reactivator

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: May cause drowsiness or dizziness.
- "STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- Toxicity
- Aquatic toxicity No relevant information available.
- * Persistence and degradability No relevant information available.
- Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No relevant information available.

13 Disposal considerations

*Waste treatment methods

Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

*Uncleaned packagings

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, ADR/RID/ADN, IMDG, IATA

UN1210

(Cont'd. on page 8)



Acc. to OSHA HCS (29 CFR 1910.1200)

Page: 8/10

Printing date: March 20, 2019

Revision: March 20, 2019

Trade name: JIP-125 Thinner-Reactivator

		(Cont'd. of pag
UN proper shipping name DOT, IATA ADR/RID/ADN, IMDG	Printing ink related material PRINTING INK RELATED MATERIAL	
Transport hazard class(es)		
ООТ		
Class	3	
Label	3	
ADR/RID/ADN		
Class	3 (F1)	
Label IMDG, IATA	3	_
Class	3	
Label	3	
Packing group DOT, ADR/RID/ADN, IMDG, IATA	0	
Environmental hazards Marine pollutant:	Νο	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler): EMS Number:	33 F-E,S-D	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Il of Not applicable.	
Transport/Additional information:		
DOT		
Limited Quantity for packages less the	han 30 kg gross and inner packagings less th	an 5 L each.
ADR/RID/ADN		
		(Cont'd, on page




INK & PAD Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 20, 2019

Revision: March 20, 2019

Trade name: JIP-125 Thinner-Reactivator



Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA)

- SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act)

All ingredients are listed.

Proposition 65 (California)

· Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 64-17-5 Ethanol

Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 64-17-5 Ethanol

• EPA (Environmental Protection Agency):

None of the ingredients are listed.

(Cont'd. on page 10)



Printing date: March 20, 2019

Revision: March 20, 2019

Trade name: JIP-125 Thinner-Reactivator

(Cont'd. of page 9)

1

IARC (International Agency for Research on Cancer):

64-17-5 Ethanol

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision March 20, 2019 / -

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent **OSHA: Occupational Safety & Health Administration** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Lig. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers